



STIC Search Report

EIC 1700

STIC Database Tracking Number: 165867

TO: Eisa Elhilo
Location: REM 9A60
Art Unit : 1751
September 27, 2005

Case Serial Number: 10/724083

From: Kathleen Fuller
Location: EIC 1700
REMSSEN 4B28
Phone: 571/272-2505
Kathleen.Fuller@uspto.gov

Search Notes

There were 2450 structures from the dialdehyde search but only 11 CA references when combined with the utility. Of these 11 references only 2 contained the index term amines/it. Since there were only 9 other references I just printed those out and did not do a structure search for the second component which could be any amine under the sun



STIC Search Results Feedback Form

EIC17000

Questions about the scope or the results of the search? Contact *the EIC searcher* or contact:

Kathleen Fuller, EIC 1700 Team Leader
571/272-2505 REMSEN 4B28

Voluntary Results Feedback Form

- I am an examiner in Workgroup: Example: 1713
- Relevant prior art **found**, search results used as follows:

- ☐ 102 rejection
- ☐ 103 rejection
- ☐ Cited as being of interest.
- ☐ Helped examiner better understand the invention.
- ☐ Helped examiner better understand the state of the art in their technology.

Types of relevant prior art found:

- ☐ Foreign Patent(s)
- ☐ Non-Patent Literature
(journal articles, conference proceedings, new product announcements etc.)

- Relevant prior art **not found**:

- ☐ Results verified the lack of relevant prior art (helped determine patentability).
- ☐ Results were not useful in determining patentability or understanding the invention.

Comments:

=> FILE REG

FILE 'REGISTRY' ENTERED AT 16:34:52 ON 27 SEP 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 26 SEP 2005 HIGHEST RN 863963-04-6

DICTIONARY FILE UPDATES: 26 SEP 2005 HIGHEST RN 863963-04-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> FILE HCAPLU

FILE 'HCAPLUS' ENTERED AT 16:34:57 ON 27 SEP 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 27 Sep 2005 VOL 143 ISS 14

FILE LAST UPDATED: 26 Sep 2005 (20050926/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> D QUE

L25 STR

$$\begin{array}{ccccccc} \text{O} & \text{CH} & \text{Hy} & \text{CH} & \text{O} \\ 1 & 2 & 3 & 4 & 5 \end{array}$$

2,450 structures from the query

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 5

STEREO ATTRIBUTES: NONE

L27 SCR 1305

L29 SCR 2043

L31 2450 SEA FILE=REGISTRY SSS FUL L25 AND L27 NOT L29

L32 3260 SEA FILE=HCAPLUS ABB=ON L31

L34 11 SEA FILE=HCAPLUS ABB=ON L32 AND (HAIR OR KERAT?)

L35 2 SEA FILE=HCAPLUS ABB=ON L34 AND AMINE?/IT

11 CA references

*2 CA references
with amine*

=> D L35 1-2 BIB ABS INF HITSTR

'INF' IS NOT A VALID FORMAT FOR FILE 'HCAPLUS'

The following are valid formats:

ABS ----- GI and AB
 ALL ----- BIB, AB, IND, RE
 APPS ----- AI, PRAI
 BIB ----- AN, plus Bibliographic Data and PI table (default)
 CAN ----- List of CA abstract numbers without answer numbers
 CBIB ----- AN, plus Compressed Bibliographic Data
 DALL ----- ALL, delimited (end of each field identified)
 DMAX ----- MAX, delimited for post-processing
 FAM ----- AN, PI and PRAI in table, plus Patent Family data
 FBIB ----- AN, BIB, plus Patent FAM
 IND ----- Indexing data
 IPC ----- International Patent Classifications
 MAX ----- ALL, plus Patent FAM, RE
 PATS ----- PI, SO
 SAM ----- CC, SX, TI, ST, IT
 SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
 SCAN must be entered on the same line as the DISPLAY,
 e.g., D SCAN or DISPLAY SCAN)
 STD ----- BIB, IPC, and NCL
 IABS ----- ABS, indented with text labels
 IALL ----- ALL, indented with text labels
 IBIB ----- BIB, indented with text labels
 IMAX ----- MAX, indented with text labels
 ISTD ----- STD, indented with text labels
 OBIB ----- AN, plus Bibliographic Data (original)
 OIBIB ----- OBIB, indented with text labels
 SBIB ----- BIB, no citations
 SIBIB ----- IBIB, no citations

HIT ----- Fields containing hit terms
 HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
 containing hit terms
 HITRN ----- HIT RN and its text modification
 HITSTR ----- HIT RN, its text modification, its CA index name, and
 its structure diagram
 HITSEQ ----- HIT RN, its text modification, its CA index name, its
 structure diagram, plus NTE and SEQ fields
 FHITSTR ----- First HIT RN, its text modification, its CA index name, and
 its structure diagram
 FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
 structure diagram, plus NTE and SEQ fields
 KWIC ----- Hit term plus 20 words on either side
 OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.
 ENTER DISPLAY FORMAT (BIB):END

=> D L35 1-2 BIB ABS IND HITSTR

L35 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:450587 HCAPLUS

DN 141:28203

TI Hair dyeing compositions comprising a heterocyclic dialdehyde and a nitrogen compound

IN Plos, Gregory

PA L'oreal, Fr.

SO Fr. Demande, 21 pp.

CODEN: FRXXBL

DT Patent

LA French

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	FR 2847809	A1	20040604	FR 2002-15058	20021129
	EP 1428504	A1	20040616	EP 2003-292898	20031121
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	JP 2004182735	A2	20040702	JP 2003-402180	20031201
	US 2004154109	A1	20040812	US 2003-724083	20031201
PRAI	FR 2002-15058	A	20021129		
	US 2002-432981P	P	20021213		
	US 2003-439981P	P	20030114		

OS MARPAT 141:28203

AB Hair dye compns. contain a heterocyclic dialdehyde and at least a nitrogen compound Thus, a composition contained 2,3-thiophenedicarboxaldehyde 6x10⁻³ mole, ammonia 0.8, and water qs to 100 g.

IC ICM A61K007-13

CC 62-3 (Essential Oils and Cosmetics)

ST heterocyclic dialdehyde nitrogen compd hair dye

applicant

IT Alcohols, biological studies
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(amino; hair dyeing compns. comprising heterocyclic
dialdehyde and)

IT Amines, biological studies
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(aromatic; hair dyeing compns. comprising heterocyclic
dialdehyde and)

IT Amines, biological studies
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(diamines, aromatic; hair dyeing compns. comprising heterocyclic
dialdehyde and)

IT Hair preparations
(dyes; hair dyeing compns. comprising heterocyclic dialdehyde
and)


IT Dialdehydes
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(heterocyclic; hair dyeing compns. comprising heterocyclic
dialdehyde and)

IT 78-96-6, Monoisopropanolamine 92-65-9, N,N-(Ethyl- β -hydroxyethyl)-p-
Phenylenediamine 93-05-0, N,N-Diethyl-p-Phenylenediamine 95-70-5,
p-Toluenediamine 99-98-9, N,N-Dimethyl-p-Phenylenediamine 101-54-2,
N-(Phenyl)-p-Phenylenediamine 102-71-6, Triethanolamine, biological
studies 106-50-3, p-Phenylenediamine, biological studies 106-50-3D,
p-Phenylenediamine, derivs. 141-43-5, Monoethanolamine, biological
studies 148-71-0, 4-Amino-N,N-Diethyl-3-methylaniline 537-65-5
615-66-7, 2-Chloro-p-Phenylenediamine 932-41-2,
2,3-Thiophenedicarboxaldehyde 932-95-6, 2,5-
Thiophenedicarboxaldehyde 1630-11-1, 2,6-Diethyl-p-Phenylenediamine
2359-52-6 2359-53-7 2632-65-7 5306-96-7, 2,3-Dimethyl-p-
Phenylenediamine 5431-44-7, 2,6-Pyridinedicarboxaldehyde
5862-80-6 6393-01-7, 2,5-Dimethyl-p-Phenylenediamine 7218-02-2,
2,6-Dimethyl-p-Phenylenediamine 7575-35-1, N,N-Bis(β -hydroxyethyl)-
p-Phenylenediamine 14791-78-7, 2-Fluoro-p-phenylenediamine 27138-37-0,
Pyridinedicarboxaldehyde 27138-37-0D, Pyridinedicarboxaldehyde, derivs.
37812-28-5, Furantetracarboxaldehyde 51952-99-9,
3,4-Dimethyl-2,5-Pyrroledicarboxaldehyde 56331-22-7 66566-48-1
73793-80-3, 2-Hydroxymethyl-p-phenylenediamine 80467-77-2 81752-41-2,
Furandicarboxaldehyde 81752-41-2D, Furandicarboxaldehyde, derivs.
93841-24-8, 2- β -Hydroxyethyl-p-phenylenediamine 97902-52-8,
2-Isopropyl-p-phenylenediamine 105293-89-8, N,N-Dipropyl-p-
Phenylenediamine 105607-68-9 126335-43-1, 2- β -Hydroxyethoxy-p-
Phenylenediamine 137818-67-8, Thiophenedicarboxaldehyde 137818-67-8D,
Thiophenedicarboxaldehyde, derivs. 207568-58-9 244104-61-8
503457-32-7 697753-72-3, 1H-Pyrroledicarboxaldehyde 697753-72-3D,
1H-Pyrroledicarboxaldehyde, derivs.
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(hair dyeing compns. comprising heterocyclic dialdehyde and)


IT 932-41-2, 2,3-Thiophenedicarboxaldehyde 932-95-6,
2,5-Thiophenedicarboxaldehyde 5431-44-7, 2,6-
Pyridinedicarboxaldehyde 37812-28-5, Furantetracarboxaldehyde
51952-99-9, 3,4-Dimethyl-2,5-Pyrroledicarboxaldehyde
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(hair dyeing compns. comprising heterocyclic dialdehyde and)

RN 932-41-2 HCAPLUS


CN 2,3-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)




RN 932-95-6 HCAPLUS
CN 2,5-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)




RN 5431-44-7 HCAPLUS
CN 2,6-Pyridinedicarboxaldehyde (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)



RN 37812-28-5 HCAPLUS
CN Furantetracarboxaldehyde (9CI) (CA INDEX NAME)



RN 51952-99-9 HCAPLUS
CN 1H-Pyrrole-2,5-dicarboxaldehyde, 3,4-dimethyl- (9CI) (CA INDEX NAME)



RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L35 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2005 ACS on STN
AN 2001:833037 HCAPLUS
DN 135:376487
TI Temporary hair dyes containing enamines
IN Javet, Manuela; Mueller, Catherine
PA Wella Aktiengesellschaft, Germany
SO PCT Int. Appl., 51 pp.


CODEN: PIXXD2

DT Patent


LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
PI	WO 2001085111	A1	20011115	WO 2001-EP102684	20010309	
	W:			AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM		
	RW:			GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG		
	DE 10022743	A1	20011122	DE 2000-10022743	20000510	
	AU 2001058268	A5	20011120	AU 2001-58268	20010309	
	BR 2001006332	A	20020326	BR 2001-6332	20010309	
	EP 1194118	A1	20020410	EP 2001-931507	20010309	
	EP 1194118	B1	20040915			
	R:			AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO		
	JP 2003532661	T2	20031105	JP 2001-581766	20010309	
	AT 275922	E	20041015	AT 2001-931507	20010309	
	ES 2228857	T3	20050416	ES 2001-1931507	20010309	
	US 2003101520	A1	20030605	US 2001-19204	20011220	
	US 6740128	B2	20040525			
PRAI	DE 2000-10022743	A	20000510			
	WO 2001-EP2684	W	20010309			
OS	MARPAT 135:376487					
GI						



I



II

AB The invention relates to an agent for coloring fibers, especially hair, which is prepared before use by mixing an acidic component (A1), which contains at least one enamine of formula (I) or its acid addition salt (II), with an alkaline component (A2), which contains at least one carbonyl compound and at least one primary amine. The invention also relates to a method for temporarily coloring hair according to which the coloring obtained by using the coloring agent is removed at any time by means of a decolorizing agent that contains sulfite. Thus a hair dye cream that resulted intensive red color contained (g): as component A1 1,2,3,3-tetramethyl-3H-indolium hydrogen sulfate 3.13; as A2 4-hydroxy-3-methoxy-benzaldehyde 1.76; methanolamine to pH 9.6; 6-O-palmitoyl-L-ascorbic acid 0.3; cetylstearylalc. 12.0; laurylethersulfate (12% ag. solution) 10.0; ethanol 23.0; water to 100.

IC ICM A61K007-13

CC 62-2 (Essential Oils and Cosmetics)

ST hair dye temporary enamine
 IT Hair preparations
 (dyes; temporary hair dyes containing enamines)
 IT Amines, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (primary; temporary hair dyes containing enamines)
 IT Decolorizing agents
 Temperature
 pH
 (temporary hair dyes containing enamines)
 IT Carbonyl compounds (organic), biological studies
 Enamines
 Sulfites
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (temporary hair dyes containing enamines)
 IT 58-27-5, 2-Methyl-1,4-naphthoquinone 74-79-3, L-Arginine, biological
 studies 78-96-6, Isopropanolamine 86-51-1, 2,3-Dimethoxybenzaldehyde
 90-02-8, 2-Hydroxybenzaldehyde, biological studies 93-02-7,
 2,5-Dimethoxybenzaldehyde 95-01-2, 2,4-Dihydroxybenzaldehyde 98-03-3,
 2-Thiophenecarboxaldehyde 99-61-6, 3-Nitrobenzaldehyde 100-10-7,
 4-Dimethylaminobenzaldehyde 118-12-7, 1,3,3-Trimethyl-2-methylene-
 indoline 120-14-9, 3,4-Dimethoxybenzaldehyde 121-32-4,
 3-Ethoxy-4-hydroxybenzaldehyde 121-33-5, 4-Hydroxy-3-methoxy-
 benzaldehyde 123-08-0, 4-Hydroxybenzaldehyde 134-96-3,
 3,5-Dimethoxy-4-hydroxybenzaldehyde 139-85-5, 3,4-Dihydroxybenzaldehyde
 148-53-8, 2-Hydroxy-3-methoxybenzaldehyde 156-87-6, 3-Amino-1-propanol
 458-36-6, 4-Hydroxy-3-methoxycinnamaldehyde 487-70-7,
 2,4,6-Trihydroxybenzaldehyde 487-89-8, Indole-3-carbaldehyde 498-62-4,
 3-Thiophenecarboxaldehyde 552-89-6, 2-Nitrobenzaldehyde 555-16-8,
 4-Nitrobenzaldehyde, biological studies 613-45-6, 2,4-
 Dimethoxybenzaldehyde 619-66-9, 4-Carboxybenzaldehyde 620-02-0,
 5-Methylfurfural 621-59-0, 3-Hydroxy-4-methoxybenzaldehyde 623-27-8,
 Benzene-1,4-dicarb-aldehyde 643-79-8, 1,2-Benzenedicarboxaldehyde
 932-41-2, 2,3-Thiophenedicarbox-aldehyde 932-95-6,
 2,5-Thiophene-dicarboxaldehyde 1003-29-8, Pyrrol-2-aldehyde 1192-58-1
 1194-98-5, 2,5-Dihydroxybenzaldehyde 1971-81-9, 4-Dimethylamino-1-
 naphthaldehyde 2144-08-3, 2,3,4-Trihydroxybenzaldehyde 2233-18-3,
 3,5-Dimethyl-4-hydroxybenzaldehyde 3088-27-5, Methanolamine 4771-49-7,
 6-Methylindole-3-carboxaldehyde 5392-12-1, 2-Methoxy-1-naphthaldehyde
 6203-18-5, 4-Dimethylaminocinnamaldehyde 6872-05-5, 5-Amino-1,3,3-
 trimethyl-2-methylene-indoline 6872-17-9, 5-Chloro-1,3,3-trimethyl-2-
 methylene-indoline 7311-34-4, 3,5-Dimethoxybenzaldehyde 7570-45-8,
 N-Ethylcarbazole-3-carboxaldehyde 7770-45-8, 4-Hydroxy-1-naphthaldehyde
 10031-82-0, 4-Ethoxybenzaldehyde 13677-79-7, 3,4,5-
 Trihydroxybenzaldehyde 15971-29-6, 4-Methoxy-1-naphthaldehyde
 17422-74-1, Chromone-3-carboxaldehyde 17754-90-4, 4-Diethylamino-2-
 hydroxybenzaldehyde 18278-34-7, 4-Hydroxy-2-methoxybenzaldehyde
 25082-84-2 27344-28-1 27344-29-2 29865-90-5, 3,4-Dimethoxy-5-
 hydroxybenzaldehyde 35976-46-6, 5-Methoxy-1,3,3-trimethyl-2-methylene-
 indoline 36429-28-4 39578-87-5, 1,3,3,5-Tetramethyl-2-methylene-
 indoline 42059-81-4 68282-53-1, 4-Methyl-5-imidazole-carboxaldehyde
 84562-48-1, 4-Dimethylamino-2-methoxybenzaldehyde 87345-53-7,
 3,5-Dimethoxy-4-hydroxycinnamaldehyde 90134-10-4, 4-
 Dibutylaminobenzaldehyde 100980-82-3 106001-58-5, 4-Diethylamino-3-
 methoxybenzaldehyde 116209-27-9, 3-Methoxy-4-(1-
 pyrrolidinyl)benzaldehyde 120420-70-4 126526-42-9 134822-76-7
 151249-39-7 187030-52-0, 5-[4-(Diethylamino)phenyl]-2,4-pentadienal
 189685-50-5 274696-30-9 344928-74-1 357397-32-1 357397-33-2

357397-34-3 357397-35-4 357397-36-5 357397-37-6 357397-39-8
 357397-42-3 357397-44-5 357397-45-6 357397-46-7 373390-40-0
 373390-41-1

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)

(temporary hair dyes containing enamines)


IT 932-41-2, 2,3-Thiophenedicarbox-aldehyde 932-95-6,
 2,5-Thiophene-dicarboxaldehyde

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)

(temporary hair dyes containing enamines)


RN 932-41-2 HCAPLUS

CN 2,3-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



RN 932-95-6 HCAPLUS

CN 2,5-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> => D QUE

L25 STR

O \equiv CH \sim Hy \sim CH \equiv O
 1 2 3 4 5

NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 5

STEREO ATTRIBUTES: NONE

L27 SCR 1305

L29 SCR 2043

L31 2450 SEA FILE=REGISTRY SSS FUL L25 AND L27 NOT L29

L32 3260 SEA FILE=HCAPLUS ABB=ON L31

L34 11 SEA FILE=HCAPLUS ABB=ON L32 AND (HAIR OR KERAT?)

L35 2 SEA FILE=HCAPLUS ABB=ON L34 AND AMINE?/IT

L36 9 SEA FILE=HCAPLUS ABB=ON L34 NOT L35

Remaining 9 CA references

=> D L36 BIB ABS IND HITSTR 1-

YOU HAVE REQUESTED DATA FROM 9 ANSWERS - CONTINUE? Y/(N):Y

L36 ANSWER 1 OF 9 HCAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:492301 HCAPLUS

DN 141:42550

TI Hair dyeing compositions containing ortho- or α -dialdehyde and one sulfur compound

IN Plos, Gregory

PA L'Oreal, Fr.

SO Fr. Demande, 27 pp.

CODEN: FRXXBL

DT Patent

LA French

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	FR 2848444	A1	20040618	FR 2002-15913	20021216
	FR 2848444	B1	20050128		
	EP 1430878	A1	20040623	EP 2003-293128	20031212
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	JP 2004196803	A2	20040715	JP 2003-417582	20031216
	US 2004205905	A1	20041021	US 2003-735748	20031216
PRAI	FR 2002-15913	A	20021216		
	US 2003-456180P	P	20030321		

OS MARPAT 141:42550

AB Hair dyeing compns. contain ortho- or α -dialdehyde and one sulfur compound and can be used for the dyeing of human hair.Thus, composition contained o-phthalaldehyde 0.5, cysteamine-2HCl 3×10^{-3} mole%, and glycine 10^{-3} mole%, NaOH qs, and water qs to 100 g.

IC ICM A61K007-13

CC 62-3 (Essential Oils and Cosmetics)

ST hair dyeing dialdehyde sulfur compd

IT Surfactants

(amphoteric; hair dyeing compns. containing ortho- or α -dialdehyde and one sulfur compound)

IT Surfactants

(anionic; hair dyeing compns. containing ortho- or α -dialdehyde and one sulfur compound)

IT Alcohols, biological studies

RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)

(aralkyl; hair dyeing compns. containing ortho- or α -dialdehyde and one sulfur compound)

IT Surfactants

(cationic; hair dyeing compns. containing ortho- or α -dialdehyde and one sulfur compound)

IT Hair preparations

(dyes; hair dyeing compns. containing ortho- or α -dialdehyde and one sulfur compound)

IT Hair

Human

Surfactants

(hair dyeing compns. containing ortho- or α -dialdehyde and one sulfur compound)

IT Amino acids, biological studies

Cycloalkanols

Dialdehydes

Peptides, biological studies

Polyoxyalkylenes, biological studies

Proteins

Thiols, biological studies
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(hair dyeing compns. containing ortho- or α -dialdehyde and one sulfur compound)

IT Surfactants
(nonionic; hair dyeing compns. containing ortho- or α -dialdehyde and one sulfur compound)


IT Alcohols, biological studies
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(polyhydric; hair dyeing compns. containing ortho- or α -dialdehyde and one sulfur compound)

IT Surfactants
(zwitterionic; hair dyeing compns. containing ortho- or α -dialdehyde and one sulfur compound)

IT 51-85-4, Cystamine 52-90-4, Cysteine, biological studies 56-40-6, Glycine, biological studies 56-41-7, Alanine, biological studies 56-45-1, Serine, biological studies 56-81-5, Glycerin, biological studies 56-84-8, Aspartic acid, biological studies 56-85-9, Glutamine, biological studies 56-86-0, Glutamic acid, biological studies 56-87-1, Lysine, biological studies 57-55-6, Propylene glycol, biological studies 60-18-4, Tyrosine, biological studies 60-23-1, Cysteamine 61-90-5, Leucine, biological studies 63-68-3, Methionine, biological studies 63-91-2, Phenylalanine, biological studies 68-11-1, Thioglycolic acid, biological studies 70-26-8, Ornithine 70-47-3, Asparagine, biological studies 71-00-1, Histidine, biological studies 72-18-4, Valine, biological studies 72-19-5, Threonine, biological studies 73-22-3, Tryptophan, biological studies 73-32-5, Isoleucine, biological studies 74-79-3, Arginine, biological studies 75-08-1, Ethanethiol 100-51-6, Benzyl alcohol, biological studies 107-41-5, Hexylene glycol 110-63-4, Butylene glycol, biological studies 126-30-7, Neopentyl glycol 137-07-5, 2-Aminothiophenol 147-85-3, Proline, biological studies 643-79-8, o-Phthalaldehyde 932-41-2, 2,3-Thiophenedicarboxaldehyde 1320-67-8, Propylene glycol monomethyl ether 7149-49-7, 2,3-Naphthalenedicarboxaldehyde 16904-32-8, Cysteamine dihydrochloride 25322-68-3, Polyethylene glycol 34590-94-8, DiPropylene glycol monomethyl ether 43073-12-7, 4,5-DimethoxyPhthalaldehyde 70848-82-7, Naphthalenedicarboxaldehyde 74057-36-6, 1,2-Naphthalenedicarboxaldehyde 76197-35-8, 2,3-Anthracenedicarboxaldehyde 137818-67-8, Thiophenedicarboxaldehyde 358640-84-3, Anthracenedicarboxaldehyde
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(hair dyeing compns. containing ortho- or α -dialdehyde and one sulfur compound)

IT 932-41-2, 2,3-Thiophenedicarboxaldehyde
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(hair dyeing compns. containing ortho- or α -dialdehyde and one sulfur compound)

RN 932-41-2 HCAPLUS
CN 2,3-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L36 ANSWER 2 OF 9 HCAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:875079 HCAPLUS

DN 139:354147

TI Use of α -dialdehydes in the presence of an ammonium salt of a
Broensted acid for dyeing **keratin** fibers

IN Plos, Gregory; Daubresse, Nicolas

PA L'Oreal, Fr.

SO PCT Int. Appl., 21 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003090701	A1	20031106	WO 2003-EP5408	20030425
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, ME, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	FR 2838961	A1	20031031	FR 2002-5186	20020425
	BR 2003004824	A	20041207	BR 2003-4824	20030425
	EP 1501471	A1	20050202	EP 2003-747128	20030425
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
PRAI	FR 2002-5186	A	20020425		
	US 2002-382632P	P	20020524		
	WO 2003-EP5408	W	20030425		

OS MARPAT 139:354147

AB The invention relates to the use, for dyeing **keratin** fibers, of aromatic or non-aromatic carbocyclic, monocyclic or polycyclic α -dialdehydes in the presence of at least one ammonium salt of a Broensted acid. A composition contained o-phthaldehyde 0.4, ammonium acetate 1.3, and distilled water to 100%.

IC ICM A61K007-13

CC 62-3 (Essential Oils and Cosmetics)

ST hair dye dialdehyde Broensted acid

IT **Keratins**

RL: BSU (Biological study, unclassified); BIOL (Biological study)
(α -dialdehydes in the presence of an ammonium salt of a Broensted acid for dyeing **keratin** fibers)

IT Bronsted acids

RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(α -dialdehydes in the presence of an ammonium salt of a Broensted acid for dyeing **keratin** fibers)

IT Dialdehydes

RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(α -dialdehydes in the presence of an ammonium salt of a Broensted acid for dyeing **keratin** fibers)

IT 643-79-8, 1,2-Benzenedicarboxaldehyde 932-41-2,
Thiophene-2,3-dicarboxaldehyde 7149-49-7, Naphthalene-2,3-dicarboxaldehyde 43073-12-7, 1,2-Benzenedicarboxaldehyde, 4,5-dimethoxy-76197-35-8, Anthracene-2,3-dicarboxaldehyde


RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)

(α -dialdehydes in the presence of an ammonium salt of a Broensted acid for dyeing keratin fibers)

IT 1066-33-7, Ammonium bicarbonate 7783-20-2, Ammonium sulfate, biological studies 10124-31-9, Ammonium phosphate
 RL: COS (Cosmetic use); MOA (Modifier or additive use); BIOL (Biological study); USES (Uses)
 (α -dialdehydes in the presence of an ammonium salt of a Broensted acid for dyeing keratin fibers)

IT 932-41-2, Thiophene-2,3-dicarboxaldehyde
 RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
 (α -dialdehydes in the presence of an ammonium salt of a Broensted acid for dyeing keratin fibers)

RN 932-41-2 HCAPLUS
 CN 2,3-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L36 ANSWER 3 OF 9 HCAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:859396 HCAPLUS

DN 139:341433

TI α -Dialdehydes and a Bronsted-acid ammonium salt for the dyeing of hair fibers

IN Plos, Gregory; Daubresse, Nicolas

PA L'Oreal, Fr.

SO Fr. Demande, 25 pp.

CODEN: FRXXBL

DT Patent

LA French

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	FR 2838961	A1	20031031	FR 2002-5186	20020425
	WO 2003090701	A1	20031106	WO 2003-EP5408	20030425
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW:				
	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	BR 2003004824	A	20041207	BR 2003-4824	20030425
	EP 1501471	A1	20050202	EP 2003-747128	20030425
	R:				
	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
PRAI	FR 2002-5186	A	20020425		
	US 2002-382632P	P	20020524		
	WO 2003-EP5408	W	20030425		
OS	MARPAT 139:341433				

AB Hair dye compns. comprise α -dialdehydes and at least an ammonium salt of a Bronsted acid. Thus, a composition contained o-phthalaldehyde 0.4, NH₄OAc 1.3, and water qs to 100%.

IC ICM A61K007-13

CC 62-3 (Essential Oils and Cosmetics)

ST dialdehyde ammonium salt Bronsted acid hair dye

IT Carboxylic acids, biological studies
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(ammonium salts; α -dialdehydes and Bronsted-acid ammonium salts for dyeing of hair fibers)

IT Surfactants
(anionic; α -dialdehydes and Bronsted-acid ammonium salts for dyeing of hair fibers)

IT Dialdehydes
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(aromatic; α -dialdehydes and Bronsted-acid ammonium salts for dyeing of hair fibers)

IT Hair preparations
(dyes; α -dialdehydes and Bronsted-acid ammonium salts for dyeing of hair fibers)

IT Sulfonic acids, biological studies
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(salts; α -dialdehydes and Bronsted-acid ammonium salts for dyeing of hair fibers)


IT Bronsted acids
Dialdehydes
Phosphates, biological studies
Sulfates, biological studies
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(α -dialdehydes and Bronsted-acid ammonium salts for dyeing of hair fibers)

IT 631-61-8, Ammonium acetate 643-79-8, o-Phthalaldehyde 643-79-8D, o-Phthalaldehyde, derivs. 932-41-2, 2,3-Thiophenedicarboxaldehyde 1066-33-7, Ammonium hydrogen carbonate 7149-49-7, 2,3-Naphthalenedicarboxaldehyde 7783-20-2, Ammonium sulfate, biological studies 10124-31-9, Ammonium phosphate 43073-12-7 76197-35-8, Anthracene-2,3-dialdehyde
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(α -dialdehydes and Bronsted-acid ammonium salts for dyeing of hair fibers)

IT 932-41-2, 2,3-Thiophenedicarboxaldehyde
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(α -dialdehydes and Bronsted-acid ammonium salts for dyeing of hair fibers)

RN 932-41-2 HCAPLUS

CN 2,3-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L36 ANSWER 4 OF 9 HCAPLUS COPYRIGHT 2005 ACS on STN
AN 2003:470262 HCAPLUS

DN 139:41428

TI Melanin-forming hair dyes containing advanced glycosylation end products and/or lipofuscin

IN Berens, Werner; Smuda, Christoph; Wolber, Rainer; Staeb, Franz; Blatt, Thomas; Giesen, Kyra

PA Beiersdorf AG, Germany

SO Eur. Pat. Appl., 16 pp.

CODEN: EPXXDW

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 1319392	A2	20030618	EP 2002-26708	20021130
	EP 1319392	A3	20030827		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				
	DE 10160966	A1	20030626	DE 2001-10160966	20011212
PRAI	DE 2001-10160966	A	20011212		

AB The invention concerns hair dyes and other hair preps. that contain advanced glycosylation end products (AGEs), their precursors and/or lipofuscins for the promoting the formation and accumulation of melanin. Thus a pearly shampoo contained (weight/weight%): polyquaternium-10 0.50; sodium laureth sulfate 9.00; cocoamidopropyl betaine 2.50; perly substance 2.00; A2E 0.1; disodium EDTA 0.10; preservative, perfume, thickening agent, emulsifier, solns. to set pH 6 q.s.; water to 100.

IC ICM A61K007-13

CC 62-3 (Essential Oils and Cosmetics)

ST melanin hair dye prepn advanced glycosylation end product lipofuscin

IT Glycoproteins

RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
 (AGE (advanced glycosylation end product); melanin-forming hair dyes containing advanced glycosylation end products and/or lipofuscin)

IT Hair preparations

(conditioners; melanin-forming hair dyes containing advanced glycosylation end products and/or lipofuscin)

IT Hair preparations

(dyes; melanin-forming hair dyes containing advanced glycosylation end products and/or lipofuscin)

IT Hair preparations

Shampoos

(melanin-forming hair dyes containing advanced glycosylation end products and/or lipofuscin)

IT Melanins

RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (melanin-forming hair dyes containing advanced glycosylation end products and/or lipofuscin)

IT Lipofuscins

RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
 (melanin-forming hair dyes containing advanced glycosylation end products and/or lipofuscin)

IT 61354-90-3 61354-90-3D, N-substituted derivs.

67350-50-9D, N-substituted protein, peptide or C1-C35 alkyl derivs.


91037-91-1D, N-substituted protein, peptide or C1-C35 alkyl derivs.

124505-87-9, Pentosidine 173449-96-2, A2E 401574-77-4D, N-substituted protein, peptide or C1-C35 alkyl derivs.


RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)

(melanin-forming hair dyes containing advanced glycosylation end

products and/or lipofuscin)
 IT 61354-90-3 61354-90-3D, N-substituted derivs.
 RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
 (melanin-forming hair dyes containing advanced glycosylation end
 products and/or lipofuscin)
 RN 61354-90-3 HCAPLUS
 CN 3,5-Pyridinedicarboxaldehyde, 1,4-dihydro- (9CI) (CA INDEX NAME)



RN 61354-90-3 HCAPLUS
 CN 3,5-Pyridinedicarboxaldehyde, 1,4-dihydro- (9CI) (CA INDEX NAME)



L36 ANSWER 5 OF 9 HCAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:5740 HCAPLUS

DN 138:78134

TI Direct hair dyes composed of 1-benzopyrane-derivatives and an
 electrophilic substance

IN Sauter, Guido; Braun, Hans-Juergen; Brouillard, Raymond; Fougereousse,
 Andre; Roehri-Stoeckel, Christine

PA Wella Aktiengesellschaft, Germany

SO PCT Int. Appl., 51 pp.

CODEN: PIXXD2

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003000214	A1	20030103	WO 2002-EP1194	20020206
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	DE 10130144	A1	20030102	DE 2001-10130144	20010622
	BR 2002005662	A	20030715	BR 2002-5662	20020206
	EP 1404289	A1	20040407	EP 2002-714147	20020206
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
	JP 2004521144	T2	20040715	JP 2003-506861	20020206

US 2003196281 A1 20031023 US 2003-380896 20030320
PRAI DE 2001-10130144 A 20010622
WO 2002-EP1194 W 20020206
OS MARPAT 138:78134
AB The invention concerns a two component hair dye where the components are mixed in the presence of acids or bases if required to form a direct dye that can be removed with sulfite-containing reducing agents if required. The first component includes 1-benzopyrane-derivs.; the second component contains an electrophilic substance that is selected from the group of carbonyls, imines and 1-alkyl-quinoline derivs. Thus a first component was composed of (g): 7-hydroxy-4-methyl-2-phenyl-1-benzylpyrylium chloride 3.14; cetylstearyl alc. 12.0; Brij 78 P 2.8; ethanol 24.8; water to 100. The second component was a mixture of (g): 4-hydroxy-3-methoxy-benzaldehyde 1.75; cetylstearyl alc. 12.0; Brij 78 P 2.8; ethanol 24.8; water to 100.
IC ICM A61K007-13
CC 62-3 (Essential Oils and Cosmetics)
ST hair dye benzopyrane deriv electrophilic substance
IT Electrophiles
Reducing agents
pH
(direct hair dyes composed of 1-benzopyrane-derivs. and an electrophilic substance)
IT Carbonyl compounds (organic), biological studies
Imines
Sulfites
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(direct hair dyes composed of 1-benzopyrane-derivs. and an electrophilic substance)
IT Dyes
(direct; direct hair dyes composed of 1-benzopyrane-derivs. and an electrophilic substance)
IT Hair preparations
(dyes; direct hair dyes composed of 1-benzopyrane-derivs. and an electrophilic substance)
IT Enzymes, biological studies
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(oxidizing, for in-situ carbonyl production; direct hair dyes composed of 1-benzopyrane-derivs. and an electrophilic substance)
IT 91-22-5, Quinoline, biological studies
RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(1-alkyl-derivs.; direct hair dyes composed of 1-benzopyrane-derivs. and an electrophilic substance)
IT 58-27-5, 2-Methyl-1,4-naphthoquinone 86-51-1, 2,3-Dimethoxybenzaldehyde 90-02-8, 2-Hydroxybenzaldehyde, biological studies 93-02-7, 2,5-Dimethoxybenzaldehyde 95-01-2, 2,4-Dihydroxybenzaldehyde 98-03-3, 2-Thiophenecarboxaldehyde 99-61-6, 3-Nitrobenzaldehyde 100-10-7, 4-Dimethylaminobenzaldehyde 120-14-9, 3,4-Dimethoxybenzaldehyde 121-32-4, 3-Ethoxy-4-hydroxybenzaldehyde 121-33-5, 4-Hydroxy-3-methoxybenzaldehyde 123-08-0, 4-Hydroxybenzaldehyde 134-96-3, 3,5-Dimethoxy-4-hydroxybenzaldehyde 139-85-5, 3,4-Dihydroxybenzaldehyde 148-53-8, 2-Hydroxy-3-methoxybenzaldehyde 254-04-6D, 2H-1-Benzopyran, derivs. 458-36-6 487-70-7, 2,4,6-Trihydroxybenzaldehyde 487-89-8, Indole-3-carbaldehyde 498-62-4, Thiophen-3-aldehyde 552-89-6, 2-Nitrobenzaldehyde 555-16-8, 4-Nitrobenzaldehyde, biological studies 613-45-6, 2,4-Dimethoxybenzaldehyde 619-66-9, 4-Carboxybenzaldehyde 620-02-0, 5-Methylfurfural 621-59-0, 3-Hydroxy-4-methoxybenzaldehyde 623-27-8, Benzene-1,4-dicarbaldehyde 643-79-8, 1,2-Phthalaldehyde 932-41-2, 2,3-Thiophenedicarboxaldehyde 932-95-6, 2,5-Thiophenedicarboxaldehyde 1003-29-8, Pyrrol-2-aldehyde 1192-58-1,

N-Methylpyrrol-2-aldehyde 1194-98-5, 2,5-Dihydroxybenzaldehyde 1952-37-0, 4-[[[(2-Hydroxyethyl)imino]methyl]phenol 1952-38-1, 2-[[[(2-Hydroxyethyl)imino]methyl]phenol 1971-81-9, 4-Dimethylamino-1-naphthaldehyde 2144-08-3, 2,3,4-Trihydroxybenzaldehyde 2233-18-3, 3,5-Dimethyl-4-hydroxybenzaldehyde 4771-49-7, 6-Methylindole-3-carboxaldehyde 5392-12-1, 2-Methoxy-1-naphthaldehyde 6203-18-5, 4-Dimethylaminozimtaldehyde 6625-79-2 7311-34-4, 3,5-Dimethoxybenzaldehyde 7570-45-8, N-Ethylcarbazol-3-aldehyde 7770-45-8, 4-Hydroxy-1-naphthaldehyde 10031-82-0, 4-Ethoxybenzaldehyde 13677-79-7, 3,4,5-Trihydroxybenzaldehyde 15941-84-1 15971-29-6, 4-Methoxy-1-naphthaldehyde 16560-44-4 16843-24-6, 2-Chloro-1-methylquinolinium-tetrafluoroborate 17065-03-1, 4-[[[(2-Hydroxyphenyl)imino]methyl]phenol 17422-74-1, Chromon-3-carboxaldehyde 17754-90-4, 4-Diethylamino-2-hydroxybenzaldehyde 18095-64-2D, salts 18278-34-7, 4-Hydroxy-2-methoxybenzaldehyde 20921-29-3 26091-47-4 27976-81-4, N,N-Dimethyl-4-[[[(2-hydroxyethyl)imino]methyl]aniline 29865-90-5, 3,4-Dimethoxy-5-hydroxybenzaldehyde 42059-81-4 45994-10-3D, salts 45998-43-4D, salts 46878-55-1D, salts 50440-51-2D, salts 64073-92-3, 2,6-Dimethoxy-4-[[[(2-hydroxyphenyl)imino]methyl]phenol 66820-52-8 68282-53-1, 4-Methyl-5-imidazolcarboxaldehyde 70365-18-3, 4-[[[(2-Hydroxyethyl)imino]methyl]-2-methoxyphenol 84562-48-1, 4-Dimethylamino-2-methoxybenzaldehyde 88851-29-0 90134-10-4, 4-Dibutylaminobenzaldehyde 90920-74-4 93439-34-0 100980-82-3 106001-58-5, 4-Diethylamino-3-methoxybenzaldehyde 110335-17-6 116209-27-9, 3-Methoxy-4-(1-pyrrolidinyl)benzaldehyde 117125-17-4D, 4-Chloro-1-ethylquinoline, salts 119658-57-0 125187-46-4 134822-76-7 187030-52-0, 5-[4-(Diethylamino)phenyl]-2,4-pentadienal 198829-37-7D, salts 198829-39-9D, salts 198829-40-2 373390-26-2, 5-[[[(2-Hydroxyethyl)imino]methyl]-2-methoxyphenol 373390-27-3, 2,6-Dimethoxy-4-[[[(2-hydroxyethyl)imino]methyl]phenol 373390-28-4, 1,2-Dihydroxy-4-[[[(2-hydroxyethyl)imino]methyl]benzene 373390-29-5, 1,2-Dihydroxy-3-[[[(2-hydroxyethyl)imino]methyl]benzene 373390-30-8, 4-[[[(3-Hydroxypropyl)imino]methyl]phenol 373390-31-9, 2,6-Dimethoxy-4-[[[(3-Hydroxypropyl)imino]methyl]phenol 373390-32-0, 4-[[[(2,3-Dihydroxypropyl)imino]methyl]phenol 373390-33-1, 2,6-Dimethoxy-4-[[[(2,3-dihydroxypropyl)imino]methyl]phenol 373390-34-2 373390-35-3 373390-36-4, 4-[[[(2-Hydroxy-2-phenylethyl)imino]methyl]phenol 373390-38-6 373390-42-2 373390-43-3 373390-44-4 373390-47-7, 1,2,3-Trihydroxy-4-[[[(2-hydroxyethyl)imino]methyl]benzene 373390-48-8 384340-47-0 473437-36-4, 2,6-Dimethoxy-4-[[[(1-phenyl-2-hydroxyethyl)imino]methyl]phenol 473437-41-1 479541-80-5 479541-81-6 479541-82-7 479541-83-8 479541-84-9 479541-85-0 479541-86-1 479541-87-2 479541-88-3 479541-89-4 479541-90-7 479541-91-8 479541-92-9 479541-93-0 479541-94-1 479541-95-2 479541-96-3 479541-97-4 479541-98-5 479541-99-6 479542-00-2 479542-01-3 479542-02-4D, salts 479542-03-5D, salts 479542-04-6D, salts 479542-05-7D, salts 479542-06-8D, salts 479542-07-9D, salts 479542-08-0D, salts 479542-09-1D, salts 479542-10-4D, salts 479542-11-5D, salts 479542-12-6D, salts 479542-13-7D, salts 479542-14-8D, salts 479542-15-9 479542-16-0 479542-17-1 479542-18-2 479542-19-3 479542-20-6 479542-21-7 479542-23-9 479542-24-0 479542-25-1 479542-26-2 479542-27-3 479542-28-4

RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(direct hair dyes composed of 1-benzopyrane-derivs. and an electrophilic substance)


IT 932-41-2, 2,3-Thiophenedicarboxaldehyde 932-95-6, 2,5-Thiophenedicarboxaldehyde

RL: COS (Cosmetic use); BIOL (Biological study); USES (Uses)
(direct hair dyes composed of 1-benzopyrane-derivs. and an

electrophilic substance)


RN 932-41-2 HCAPLUS

CN 2,3-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



RN 932-95-6 HCAPLUS

CN 2,5-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L36 ANSWER 6 OF 9 HCAPLUS COPYRIGHT 2005 ACS on STN

AN 2002:811804 HCAPLUS

DN 137:325330

TI Preparation of 5-aryl-1,3,3-trimethyl-2-methylen-indoles and their iminium salts for the temporary dyeing of hair fibers

IN Sauter, Guido; Braun, Hans-Juergen; Reichlin, Nadia

PA Wella A.-G., Germany

SO Ger. Offen., 40 pp.


CODEN: GWXXBX

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 10119204	A1	20021024	DE 2001-10119204	20010419
	WO 2002085854	A1	20021031	WO 2002-EP706	20020124
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW:				
	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP	1280773	A1	20030205	EP 2002-727315	20020124
	R:				
	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
BR	2002005040	A	20030429	BR 2002-5040	20020124
JP	2004519521	T2	20040702	JP 2002-583381	20020124
US	2003213071	A1	20031120	US 2002-297369	20021204
PRAI	DE 2001-10119204	A	20010419		
	WO 2002-EP706	W	20020124		
OS	CASREACT 137:325330; MARPAT 137:325330				
GI					



- AB Title compds. I and II [R1 = alkyl, hydroxyalkyl, polyhydroxyalkyl, etc.; R2 = CHR; R = H, alkyl; R3, R4 = alkyl, (CH2)nRc, (CH2)nCORc, etc.; n = 1-3; Rc = H, (un)substituted aromatic carbocycle, aromatic heterocycle, etc.; R5-R12 = H, alkyl, hydroxyalkyl, etc.; A- = anion of inorg. or organic acid] were prepared. The invention relates to hair dye kits containing 2-component hair dye compns. (A1 and A2) and a sulfite reductive decolorizing agent. Component A2 comprises of at least 1 carbonyl compd. and component A1 comprises of at least one indoline I or one 3H-indolium II deriv. For example, methylation indole of III, e.g., prepd. from 5-bromo-2,3,3-trimethyl-3H-indole and 2,4-dimethoxyphenylboronic acid, with trimethyloxonium tetrafluoroborate afforded indolium IV in 55% yield. In coloration studies of bleached hair, 7-examples of compds. II (A1) in combination with 4-carbonyl compds. (A2) resulted in a range of hair coloring, e.g., a prepn. of indolium IV and 4-hydroxy-3-methoxybenzaldehyde produced a red color and white after reductive decolorization.
- IC ICM C07D209-08
ICS C07D209-54; C07D405-04; C07F005-04; C09B007-00; D06P005-06
- CC 27-11 (Heterocyclic Compounds (One Hetero Atom))
Section cross-reference(s): 62
- ST indolium prepn hair dye carbonyl bleaching sulfite decolorization; indole prepn hair dye carbonyl bleaching sulfite decolorization
- IT Sulfites
RL: COS (Cosmetic use); RCT (Reactant); BIOL (Biological study); RACT (Reactant or reagent); USES (Uses)
(decolorizing agent; preparation of methyleneindoles and their iminium salts)

- for the temporary dyeing of hair fibers)
- IT Hair preparations
(dyes; preparation of methyleneindoles and their iminium salts for the temporary dyeing of hair fibers)
- IT Decolorizing agents
Human
(preparation of methyleneindoles and their iminium salts for the temporary dyeing of hair fibers)
- IT 58-27-5, 2-Methyl-1,4-naphthodione 86-51-1, 2,3-Dimethoxybenzaldehyde 90-02-8, 2-Hydroxybenzaldehyde, reactions 93-02-7, 2,5-Dimethoxybenzaldehyde 95-01-2, 2,4-Dihydroxybenzaldehyde 98-03-3, 2-Thiophenecarboxaldehyde 99-61-6, 3-Nitrobenzaldehyde 100-10-7, 4-Dimethylaminobenzaldehyde 120-14-9, 3,4-Dimethoxybenzaldehyde 121-32-4, 3-Ethoxy-4-hydroxybenzaldehyde 121-33-5, 4-Hydroxy-3-methoxybenzaldehyde 123-08-0, 4-Hydroxybenzaldehyde 134-96-3, 3,5-Dimethoxy-4-hydroxybenzaldehyde 139-85-5, 3,4-Dihydroxybenzaldehyde 148-53-8, 2-Hydroxy-3-methoxybenzaldehyde 458-36-6, 4-Hydroxy-3-methoxyzimtaldehyde 487-70-7, 2,4,6-Trihydroxybenzaldehyde 487-89-8, 1H-Indole-3-carboxaldehyde 498-62-4, Thiophen-3-aldehyde 552-89-6, 2-Nitrobenzaldehyde 555-16-8, 4-Nitrobenzaldehyde, reactions 613-45-6, 2,4-Dimethoxybenzaldehyde 619-66-9, 4-Carboxybenzaldehyde 620-02-0, 5-Methylfurfural 621-59-0, 3-Hydroxy-4-methoxybenzaldehyde 623-27-8, Benzene-1,4-dicarbaldehyde 643-79-8, 1,2-Phthalaldehyde 932-41-2, 2,3-Thiophenedicarboxaldehyde 932-95-6, 2,5-Thiophenedicarboxaldehyde 1003-29-8, Pyrrol-2-aldehyde 1192-58-1, N-Methylpyrrol-2-aldehyde 1194-98-5, 2,5-Dihydroxybenzaldehyde 1952-37-0, 4-[[[(2-Hydroxyethyl)imino]methyl]phenol 1952-38-1, 2-[[[(2-Hydroxyethyl)imino]methyl]phenol 1971-81-9, 4-Dimethylamino-1-naphthaldehyde 2144-08-3, 2,3,4-Trihydroxybenzaldehyde 2233-18-3, 3,5-Dimethyl-4-hydroxybenzaldehyde 4771-49-7, 6-Methylindol-3-carboxaldehyde 5392-12-1, 2-Methoxy-1-naphthaldehyde 6203-18-5, 4-Dimethylaminozimtaldehyde 7311-34-4, 3,5-Dimethoxybenzaldehyde 7570-45-8, N-Ethylcarbazol-3-aldehyde 7770-45-8, 4-Hydroxy-1-naphthaldehyde 10031-82-0, 4-Ethoxybenzaldehyde 13677-79-7, 3,4,5-Trihydroxybenzaldehyde 15971-29-6, 4-Methoxy-1-naphthaldehyde 17065-03-1, 4-[[[(2-Hydroxyphenyl)imino]methyl]phenol 17422-74-1, Chromon-3-carboxaldehyde 17754-90-4, 4-Diethylamino-2-hydroxybenzaldehyde 18278-34-7, 4-Hydroxy-2-methoxybenzaldehyde 27976-81-4, N,N-Dimethyl-4-[[[(2-hydroxyethyl)imino]methyl]aniline 29865-90-5, 3,4-Dimethoxy-5-hydroxybenzaldehyde 42059-81-4 64073-92-3, 2,6-Dimethoxy-4-[[[(2-hydroxyphenyl)imino]methyl]phenol 68282-53-1, 4-Methylimidazol-5-carboxaldehyde 69155-75-5, 6-Hydroxychromon-3-carboxaldehyde 70365-18-3, 4-[[[(2-Hydroxyethyl)imino]methyl]-2-methoxyphenol 84562-48-1, 4-Dimethylamino-2-methoxybenzaldehyde 87345-53-7, 3,5-Dimethoxy-4-hydroxyzimtaldehyde 90134-10-4, 4-Dibutylaminobenzaldehyde 100980-82-3 106001-58-5, 4-Diethylamino-3-methoxybenzaldehyde 116209-27-9, 3-Methoxy-4-(1-pyrrolidinyl)benzaldehyde 187030-52-0, 5-[4-(Diethylamino)phenyl]-2,4-pentadienal 373390-26-2, 5-[[[(2-Hydroxyethyl)imino]methyl]-2-methoxyphenol 373390-27-3, 2,6-Dimethoxy-4-[[[(2-hydroxyethyl)imino]methyl]phenol 373390-28-4, 1,2-Dihydroxy-4-[[[(2-hydroxyethyl)imino]methyl]benzene 373390-29-5, 1,2-Dihydroxy-3-[[[(2-hydroxyethyl)imino]methyl]benzene 373390-30-8, 4-[[[(3-Hydroxypropyl)imino]methyl]phenol 373390-31-9, 2,6-Dimethoxy-4-[[[(3-Hydroxypropyl)imino]methyl]phenol 373390-32-0, 4-[[[(2,3-Dihydroxypropyl)imino]methyl]phenol 373390-33-1, 2,6-Dimethoxy-4-[[[(2,3-dihydroxypropyl)imino]methyl]phenol 373390-34-2, 2-[(4-Hydroxybenzylidene)amino]propan-1,3-diol 373390-35-3, 2-[(4-Hydroxy-3,5-dimethoxybenzylidene)amino]propan-1,3-diol 373390-36-4, 4-[[[(2-Hydroxy-2-phenylethyl)imino]methyl]phenol

373390-38-6 373390-39-7, 2-[(4-Dimethylaminonaphthalen-1-ylmethylene)amino]ethanol 373390-42-2 373390-43-3, 2-[(4-Hydroxy-3,5-dimethoxybenzylidene)amino]-3-(imidazol-4-yl)propanoic acid 373390-44-4, 2-[(4-Hydroxybenzylidene)amino]-3-(imidazol-4-yl)propanoic acid 373390-46-6, 2-[(4-Hydroxybenzylidene)amino]-3-(indol-3-yl)propanoic acid 373390-47-7, 1,2,3-Trihydroxy-4-[[2-hydroxyethyl)imino]methyl]benzene 373390-48-8, 1,2,3-Trihydroxy-4-[[2-hydroxyethyl)imino]methyl]benzene 473437-36-4, 2,6-Dimethoxy-4-[[1-phenyl-2-hydroxyethyl)imino]methyl]phenol 473437-41-1, 2-[(4-Hydroxy-3,5-dimethoxybenzylidene)amino]-3-(indol-3-yl)propanoic acid 473437-43-3, 1,2,3-Trihydroxy-5-[[2-hydroxyethyl)imino]methyl]benzene
 RL: COS (Cosmetic use); RCT (Reactant); BIOL (Biological study); RACT (Reactant or reagent); USES (Uses)

(preparation of methyleneindoles and their iminium salts for the temporary dyeing of hair fibers)

IT 98-80-6, Benzeneboronic acid 106-38-7, 4-Bromotoluene 420-37-1, Trimethyloxoniumtetrafluoroborate 1423-27-4, 2-Trifluoromethylphenylboronic acid 6165-69-1, 3-Thiophenboronic acid 13922-41-3, Naphthalene-1-boronic acid 54136-24-2, 5-Bromo-2,3,3-trimethyl-3H-indole 73183-34-3 94839-07-3, 3,4-Methylenedioxyphenylboronic acid 133730-34-4, 2,4-Dimethoxyphenylboronic acid 201733-56-4

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of methyleneindoles and their iminium salts for the temporary dyeing of hair fibers)

IT 59876-87-8P 294655-87-1P, 5-Phenyl-2,3,3-trimethyl-3H-indole 473436-97-4P 473436-98-5P 473436-99-6P 473437-00-2P 473437-02-4P 473437-03-5P 473437-04-6P 473437-05-7P 473437-06-8P 473437-07-9P 473437-08-0P 473437-09-1P 473437-10-4P 473437-11-5P 473437-12-6P 473437-13-7P 473437-14-8P 473437-15-9P 473437-17-1P 473437-18-2P, 5-(2,4-Dimethoxyphenyl)-2,3,3-trimethyl-3H-indole 473437-20-6P 473437-21-7P, 5-(1,3-Benzodioxol-5-yl)-2,3,3-trimethyl-3H-indole 473437-23-9P 473437-24-0P, 5-[2-(Trifluoromethyl)phenyl]-2,3,3-trimethyl-3H-indole 473437-25-1P 473437-26-2P, 5-(Thiophen-3-yl)-2,3,3-trimethyl-3H-indole 473437-27-3P 473437-29-5P 473437-30-8P, 2,3,3-Trimethyl-5-p-tolyl-3H-indole 473437-32-0P 473437-33-1P, 2,3,3-Trimethyl-5-naphthalen-1-yl-3H-indole 473437-34-2P, 2,3,3-Trimethyl-5-(4,4,5,5-tetramethyl-[1,3,2]dioxaborolan-2-yl)-3H-indole 473437-35-3P, 5-(5,5-Dimethyl-[1,3,2]dioxaborinan-2-yl)-2,3,3-trimethyl-3H-indole

RL: COS (Cosmetic use); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)

(product; preparation of methyleneindoles and their iminium salts for the temporary dyeing of hair fibers)


IT 932-41-2, 2,3-Thiophenedicarboxaldehyde 932-95-6, 2,5-Thiophenedicarboxaldehyde

RL: COS (Cosmetic use); RCT (Reactant); BIOL (Biological study); RACT (Reactant or reagent); USES (Uses)

(preparation of methyleneindoles and their iminium salts for the temporary dyeing of hair fibers)


RN 932-41-2 HCAPLUS

CN 2,3-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



RN 932-95-6 HCAPLUS

CN 2,5-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



L36 ANSWER 7 OF 9 HCAPLUS COPYRIGHT 2005 ACS on STN

AN 2001:635862 HCAPLUS

DN 135:215740

TI Hair dye kits comprising indoline/indolium derivatives, carbonyl compounds and a decolorizing agent

IN Sauter, Guido; Braun, Hans-Juergen; Reichlin, Nadia

PA Wella Aktiengesellschaft, Germany

SO PCT Int. Appl., 81 pp.



CODEN: PIXXD2

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2001062219	A1	20010830	WO 2001-EP821	20010125
	W: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IN, IS, JP, KE, KG, KP, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
	DE 10007948	A1	20010906	DE 2000-10007948	20000222
	AU 2001028495	A5	20010903	AU 2001-28495	20010125
	BR 2001004590	A	20020108	BR 2001-4590	20010125
	EP 1227786	A1	20020807	EP 2001-949088	20010125
	EP 1227786	B1	20050824		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
	JP 2003523375	T2	20030805	JP 2001-561286	20010125
	US 2003079301	A1	20030501	US 2001-959112	20011017
	US 6652601	B2	20031125		
PRAI	DE 2000-10007948	A	20000222		
	WO 2001-EP821	W	20010125		
OS	MARPAT 135:215740				
GI					



AB The invention relates to hair dye kits containing 2-component hair-dye compns. (A1 and A2) and a reductive decolorizing agent; upon usage A1 and A2 are mixed. The component A2 comprises at least 1 carbonyl compound, and component A1 comprises at least 1 indoline derivative (I), or 1 3H-indolium derivative (II), R groups and A- are defined. Thus, the component A1 contained (g): 1,2,3,3,5-pentamethyl-3H-indolium iodide 0.30; lauryl ether sulfate (28% aqueous solution) 1, ethanol 2, water to 10%. The component A2 included (g): 3,5-dimethoxy-4-hydroxybenzaldehyde 0.17, lauryl ether sulfate (28% aqueous solution) 1, ethanol 2, water to 10%. By mixing 1 g of each component a pH of 8.1 was obtained. The dye was applied to bleached hair.

IC ICM A61K007-13

CC 62-3 (Essential Oils and Cosmetics)

ST hair dye indolium carbonyl bleaching sulfite; indoline carbonyl sulfite hair dye

IT Sulfites

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(decolorizing agent; hair dye kits comprising indoline/indolium derivs. and carbonyl compds. and decolorizing agent)

IT Hair preparations

(dyes; hair dye kits comprising indoline/indolium derivs. and carbonyl compds. and decolorizing agent)

IT Decolorizing agents

(hair dye kits comprising indoline/indolium derivs. and carbonyl compds. and decolorizing agent)

IT Carbonyl compounds (organic), biological studies

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(hair dye kits comprising indoline/indolium derivs. and carbonyl compds. and decolorizing agent)

IT 90-02-8, 2-Hydroxybenzaldehyde, biological studies 2233-18-3, 3,5-Dimethyl-4-hydroxybenzaldehyde 7770-45-8, 4-Hydroxy-1-naphthaldehyde 15971-29-6, 4-Methoxy-1-naphthaldehyde 18278-34-7, 4-Hydroxy-2-methoxybenzaldehyde 84562-48-1, 4-Dimethylamino-2-methoxybenzaldehyde

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(decolorizing agent; hair dye kits comprising indoline/indolium derivs. and carbonyl compds. and decolorizing agent)

IT 58-27-5, 2-Methyl-1,4-naphthoquinone 86-51-1, 2,3-Dimethoxybenzaldehyde 93-02-7, 2,5-Dimethoxybenzaldehyde 95-01-2, 2,4-Dihydroxybenzaldehyde 98-03-3, 2-Thiophenecarboxaldehyde 99-61-6, 3-Nitrobenzaldehyde 100-10-7, 4-Dimethylaminobenzaldehyde 120-14-9, 3,4-Dimethoxybenzaldehyde 121-32-4, 3-Ethoxy-4-hydroxybenzaldehyde 121-33-5, Vanillin 123-08-0, 4-Hydroxybenzaldehyde 134-96-3, 3,5-Dimethoxy-4-hydroxybenzaldehyde 139-85-5, 3,4-Dihydroxybenzaldehyde 148-53-8, 2-Hydroxy-3-methoxybenzaldehyde 458-36-6 487-70-7, 2,4,6-Trihydroxybenzaldehyde 487-89-8, Indole-3-carbaldehyde 496-15-1D, Indoline, derivs. 498-62-4, 3-Thiophenecarboxaldehyde 552-89-6, 2-Nitrobenzaldehyde 555-16-8, 4-Nitrobenzaldehyde, biological studies 613-45-6, 2,4-Dimethoxybenzaldehyde 619-66-9, 4-Carboxybenzaldehyde 620-02-0, 5-Methylfurfural 621-59-0, Isovanillin 623-27-8, Benzene-1,4-dicarbaldehyde 643-79-8, o-Phthaldialdehyde 932-41-2, 2,3-Thiophenedicarboxaldehyde 932-95-6, 2,5-Thiophenedicarboxaldehyde 1003-29-8, Pyrrol-2-aldehyde 1192-58-1, N-Methylpyrrol-2-aldehyde 1194-98-5, 2,5-Dihydroxybenzaldehyde 1971-81-9, 4-Dimethylamino-1-naphthaldehyde 2144-08-3, 2,3,4-Trihydroxybenzaldehyde 4771-49-7, 6-Methylindole-3-carboxaldehyde 5392-12-1, 2-Methoxy-1-naphthaldehyde 6203-18-5 6872-05-5,

5-Amino-1,3,3-trimethyl-2-methylene-indoline 7311-34-4,
3,5-Dimethoxybenzaldehyde 7570-45-8 7757-83-7, Sodium sulfite
10031-82-0, 4-Ethoxybenzaldehyde 10196-04-0, Ammonium sulfite
13677-79-7, 3,4,5-Trihydroxybenzaldehyde 17422-74-1,
Chromone-3-carboxaldehyde 17754-90-4, 4-Diethylamino-2-
hydroxybenzaldehyde 27344-28-1 29865-90-5, 3,4-Dimethoxy-5-
hydroxybenzaldehyde 35976-46-6, 5-Methoxy-1,3,3-trimethyl-2-methylene-
indoline 36429-28-4 39578-87-5, 1,3,3,5-Tetramethyl-2-methylene-
indoline 41382-29-0 42059-81-4 54849-44-4 68282-53-1,
4-Methyl-5-imidazole-carboxaldehyde 87345-53-7 90134-10-4,
4-Dibutylamino-benzaldehyde 99567-90-5 100980-82-3 106001-58-5,
4-Diethylamino-3-methoxybenzaldehyde 116209-27-9, 3-Methoxy-4-(1-
pyrrolidinyl)benzaldehyde 120420-70-4 126526-42-9 134822-76-7
151249-39-7 187030-52-0, 5-[4-(Diethylamino)phenyl]-2,4-pentadienal
189685-50-5 357397-32-1 357397-33-2 357397-34-3 357397-35-4
357397-36-5 357397-37-6 357397-38-7 357397-39-8 357397-41-2
357397-42-3 357397-43-4 357397-44-5 357397-45-6 357397-46-7
357397-47-8 357397-48-9 357397-49-0

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)

(hair dye kits comprising indoline/indolium derivs. and
carbonyl compds. and decolorizing agent)

IT 36429-14-8P

RL: BUU (Biological use, unclassified); RCT (Reactant); SPN (Synthetic
preparation); BIOL (Biological study); PREP (Preparation); RACT (Reactant
or reagent); USES (Uses)

(hair dye kits comprising indoline/indolium derivs. and
carbonyl compds. and decolorizing agent)

IT 74-88-4, Methyl iodide, reactions 118-12-7, 1,3,3-Trimethyl-2-methylene
indoline 371-14-2, 4-Fluorophenylhydrazine 420-37-1, Trimethyloxonium
tetrafluoroborate 539-44-6, p-Tolylhydrazine 563-80-4,
Isopropylmethylketone 613-85-4, 2,5-Dimethylphenylhydrazine 615-00-9,
2,4-Dimethylphenylhydrazine 823-76-7, Cyclohexylmethylketone
3471-32-7, 4-Methoxyphenylhydrazine 63693-65-2, 4-
Isopropylphenylhydrazine 84401-19-4, 2,3-Dimethylphenylhydrazine
357397-66-1

RL: RCT (Reactant); RACT (Reactant or reagent)

(hair dye kits comprising indoline/indolium derivs. and
carbonyl compds. and decolorizing agent)

IT 25981-82-2P 31241-19-7P 41797-88-0P 54136-23-1P 57019-81-5P
58060-98-3P 59223-23-3P 99385-54-3P 162258-84-6P 211692-73-8P
357397-51-4P 357397-53-6P 357397-54-7P 357397-56-9P 357397-57-0P
357397-59-2P 357397-60-5P 357397-61-6P 357397-62-7P 357397-63-8P
357397-65-0P 357397-68-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)

(hair dye kits comprising indoline/indolium derivs. and
carbonyl compds. and decolorizing agent)


IT 932-41-2, 2,3-Thiophenedicarboxaldehyde 932-95-6,
2,5-Thiophenedicarboxaldehyde

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)

(hair dye kits comprising indoline/indolium derivs. and
carbonyl compds. and decolorizing agent)


RN 932-41-2 HCAPLUS

CN 2,3-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



RN 932-95-6 HCAPLUS

CN 2,5-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L36 ANSWER 8 OF 9 HCAPLUS COPYRIGHT 2005 ACS on STN

AN 2000:401614 HCAPLUS

DN 133:48681

TI Agent for coloring fibers

IN Kunz, Manuela; Mueller, Catherine; Oberson, Sylviane; Umbricht, Gisela; Braun, Hans-Juergen; Goettel, Otto; Hayoz, Andre

PA Wella Aktiengesellschaft, Germany

SO PCT Int. Appl., 56 pp.

CODEN: PIXXD2

DT Patent

LA German

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2000033799	A1	20000615	WO 1999-EP9005	19991123
	W: BR, JP, US				
	RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	DE 19856342	A1	20000608	DE 1998-19856342	19981207
	DE 19933313	A1	20010118	DE 1999-19933313	19990716
	DE 19933313	C2	20030814		
	DE 19934283	A1	20010125	DE 1999-19934283	19990721
	BR 9907694	A	20001114	BR 1999-7694	19991123
	EP 1054657	A1	20001129	EP 1999-959302	19991123
	EP 1054657	B1	20040107		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
	JP 2002531479	T2	20020924	JP 2000-586293	19991123
	AT 257366	E	20040115	AT 1999-959302	19991123
PRAI	DE 1998-19856342	A	19981207		
	DE 1999-29908464	U	19990512		
	DE 1999-19933313	A	19990716		
	DE 1999-19934283	A	19990721		
	WO 1999-EP9005	W	19991123		
OS	MARPAT 133:48681				
AB	A direct dye for coloring hair and other fibers is obtained by mixing a component containing ≥ 1 enamine R1R2NCR3:CH2 [R1 = (substituted) aryl, 5- or 6-membered heterocycle; R2 = C1-8 alkyl, hydroxyalkyl, or alkoxyalkyl; R3 = C1-8 alkyl, alkoxyalkyl, alkylene, or alkoxyalkylene, O, NH, NR4, S; R4 = H, alkyl, alkoxyalkyl, hydroxyalkyl;				

or R1NCR3 = ring] with a component containing ≥ 1 carbonyl compound before use. A multiple-component kit for temporarily coloring and subsequently completely decoloring the hair, without damaging the hair, consists of colorant and a component containing a sulfite. Thus, an enamine component containing 1,3,3-trimethyl-2-methyleneindoline (stabilized with α -tocopherol) 2.0, cetostearyl alc. 12.00, steareth-20 1.40, iso-PrOH 20.0, and demineralized H₂O to 100.0 g was mixed 1:1 with an aldehyde component containing 4-hydroxy-3-methoxybenzaldehyde 1.76, cetostearyl alc. 3.06, SDS 0.34, lanolin alc. 0.50, and demineralized H₂O to 100.00 g, and the product was applied to bleached hair for 30 min at 40° to dye the hair an intense red color. This color could be removed from the hair at any time by treatment with 5% Na₂SO₃ solution (pH 5) for 20 min at 40°.

- IC ICM A61K007-13
- ICS A61K007-135
- CC 62-3 (Essential Oils and Cosmetics)
- ST hair direct dye enamine aldehyde; decolorization hair sulfite; carbonyl compd enamine hair dye
- IT Decolorizing agents
(agent for coloring fibers)
- IT Aldehydes, biological studies
Carbonyl compounds (organic), biological studies
Enamines
Sulfites
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(agent for coloring fibers)
- IT Hair preparations
(dyes; agent for coloring fibers)
- IT Alkali metal salts
Alkaline earth salts
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(sulfites; agent for coloring fibers)
- IT 58-27-5, 2-Methyl-1,4-naphthoquinone 86-51-1, 2,3-Dimethoxybenzaldehyde 90-02-8, 2-Hydroxybenzaldehyde, biological studies 93-02-7, 2,5-Dimethoxybenzaldehyde 95-01-2, 2,4-Dihydroxybenzaldehyde 98-03-3, 2-Thiophenecarboxaldehyde 99-61-6, 3-Nitrobenzaldehyde 100-10-7, 4-Dimethylaminobenzaldehyde 118-12-7, 1,3,3-Trimethyl-2-methyleneindoline 120-14-9, 3,4-Dimethoxybenzaldehyde 121-32-4, 3-Ethoxy-4-hydroxybenzaldehyde 121-33-5, Vanillin, 123-08-0, 4-Hydroxybenzaldehyde 134-96-3, 3,5-Dimethoxy-4-hydroxybenzaldehyde 139-85-5, 3,4-Dihydroxybenzaldehyde 148-53-8, 2-Hydroxy-3-methoxybenzaldehyde 458-36-6, 4-Hydroxy-3-methoxycinnamaldehyde 487-70-7, 2,4,6-Trihydroxybenzaldehyde 487-89-8, Indole-3-carboxaldehyde 498-62-4, 3-Thiophenecarboxaldehyde 552-89-6, 2-Nitrobenzaldehyde 555-16-8, biological studies 613-45-6, 2,4-Dimethoxybenzaldehyde 619-66-9, 4-Carboxybenzaldehyde 620-02-0, 5-Methylfurfural 621-59-0, Isovanillin 623-27-8, Benzene-1,4-dicarboxaldehyde 643-79-8, 1,2-Benzenedicarboxaldehyde 932-41-2, 2,3-Thiophenedicarboxaldehyde 932-95-6, 2,5-Thiophenedicarboxaldehyde 1003-29-8, Pyrrol-2-aldehyde 1192-58-1, N-Methylpyrrol-2-aldehyde 1194-98-5, 2,5-Dihydroxybenzaldehyde 1971-81-9, 4-Dimethylamino-1-naphthaldehyde 2144-08-3, 2,3,4-Trihydroxybenzaldehyde 2233-18-3, 3,5-Dimethyl-4-hydroxybenzaldehyde 2611-99-6 4771-49-7, 6-Methylindole-3-carboxaldehyde 5392-12-1, 2-Methoxy-1-naphthaldehyde 5418-63-3 6203-18-5 6872-17-9, 5-Chloro-2-methylene-1,3,3-trimethylindoline 7311-34-4, 3,5-Dimethoxybenzaldehyde 7570-45-8 7757-83-7, Sodium

sulfite 7770-45-8, 4-Hydroxy-1-naphthaldehyde 10031-82-0,
4-Ethoxybenzaldehyde 10196-04-0, Ammonium sulfite 13677-79-7,
3,4,5-Trihydroxybenzaldehyde 15971-29-6, 4-Methoxy-1-naphthaldehyde
17422-74-1, Chromone-3-carboxaldehyde 17754-90-4, 4-Diethylamino-2-
hydroxybenzaldehyde 18278-34-7, 4-Hydroxy-2-methoxybenzaldehyde
21635-75-6 21654-46-6 25082-84-2, 3-Ethyl-2-methylenebenzothiazoline
29865-90-5, 3,4-Dimethoxy-5-hydroxybenzaldehyde 42059-81-4 62439-66-1
62473-58-9 68282-53-1, 4-Methyl-5-imidazolecarboxaldehyde 84562-48-1,
4-Dimethylamino-2-methoxybenzaldehyde 90134-10-4, 4-
Dibutylaminobenzaldehyde 100980-82-3 101297-27-2 106001-58-5,
4-Diethylamino-3-methoxybenzaldehyde 116209-27-9 125187-46-4
134822-76-7 145306-30-5 187030-52-0 274696-30-9 274696-31-0
274696-32-1 274696-33-2 274696-35-4 274696-36-5 274696-37-6
274696-38-7 274904-86-8 274904-87-9
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)

(agent for coloring fibers)


IT 932-41-2, 2,3-Thiophenedicarboxaldehyde 932-95-6,
2,5-Thiophenedicarboxaldehyde

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)

(agent for coloring fibers)


RN 932-41-2 HCAPLUS

CN 2,3-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



RN 932-95-6 HCAPLUS

CN 2,5-Thiophenedicarboxaldehyde (7CI, 8CI, 9CI) (CA INDEX NAME)



RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L36 ANSWER 9 OF 9 HCAPLUS COPYRIGHT 2005 ACS on STN

AN 1998:205965 HCAPLUS

DN 129:13264

TI Rapid and transient induction of CYP1A1 gene expression in human cells by
the tryptophan photoproduct 6-formylindolo[3,2-b]carbazole

AU Wei, Yu-Dan; Helleberg, Hans; Rannug, Ulf; Rannug, Agneta

CS Department of Genetic and Cellular Toxicology, Stockholm University,
Stockholm, S-106 91, Swed.

SO Chemico-Biological Interactions (1998), 110(1,2), 39-55
CODEN: CBINA8; ISSN: 0009-2797

PB Elsevier Science Ireland Ltd.

DT Journal

LA English

AB Studies to assess the induction of CYP1A1 gene expression by tryptophan
derived oxidation products which are suggested as endogenous ligands for the

Ah receptor are described. For the two high affinity Ah receptor ligands produced from tryptophan, the chemical structure was recently identified as 6-formylindolo[3,2-b]carbazole (FICZ) and 6,12-diformylindolo[3,2-b]carbazole (dFICZ), resp. Therefore these two compds. show a close similarity to the indolecarbinol-derived condensation product indolo[3,2-b]carbazole (ICZ). Incubation of cells from a human **keratinocyte** (HaCaT) cell line together with ICZ, FICZ, dFICZ and some structurally related indole compds. was performed. The compound with the highest affinity to the Ah receptor, FICZ, was found to be the most efficient inducer of CYP1A1 gene expression in short time incubation (0.5 h) expts. With longer incubation times (24 h) ICZ was the most efficient inducer. The two most active compds., FICZ and ICZ, caused increased mRNA levels already at a concentration of 100 pM. FICZ was also shown to increase CYP1A1 mRNA levels in fresh human peripheral blood cells at the same low concentration. FICZ and ICZ were furthermore compared with regard to their capacity to inhibit cDNA-expressed human CYP1A1 enzyme and FICZ was found to be the most potent inhibitor. The inhibition was, however, transient in character indicating that FICZ is also an exceptionally good substrate for the CYP1A1 enzyme. The results showing the potent and transient effect of these formylindolocarbazoles, thus emphasize their important properties as signal substances in the Ah receptor pathway. This makes the most potent compound, FICZ, a good candidate for the endogenous ligand of the Ah receptor necessary for normal development and for the basal expression of Ah receptor-dependent genes.

CC 4-3 (Toxicology)

ST CYP1A1 gene tryptophan photoproduct formylindolocarbazole

IT Gene, animal

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(CYP1A1; rapid and transient induction of CYP1A1 gene expression in human cells by tryptophan photoproduct formylindolocarbazole)

IT Skin

(**keratinocyte**; rapid and transient induction of CYP1A1 gene expression in human cells by tryptophan photoproduct formylindolocarbazole)

IT Microsome

Mononuclear cell (leukocyte)

(rapid and transient induction of CYP1A1 gene expression in human cells by tryptophan photoproduct formylindolocarbazole)

IT Aromatic hydrocarbon receptors

RL: BSU (Biological study, unclassified); BIOL (Biological study)

(rapid and transient induction of CYP1A1 gene expression in human cells by tryptophan photoproduct formylindolocarbazole in relation to Ah receptors)

IT 73-22-3D, Tryptophan, photoproducts 241-55-4, Indolo[3,2-b]carbazole 172922-90-6 172922-91-7

RL: ADV (Adverse effect, including toxicity); BIOL (Biological study)

(rapid and transient induction of CYP1A1 gene expression in human cells by tryptophan photoproduct formylindolocarbazole)

IT 59793-97-4, 7-Ethoxyresorufin-O-deethylase

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)

(rapid and transient induction of CYP1A1 gene expression in human cells by tryptophan photoproduct formylindolocarbazole)

IT 172922-90-6


RL: ADV (Adverse effect, including toxicity); BIOL (Biological study)

(rapid and transient induction of CYP1A1 gene expression in human cells by tryptophan photoproduct formylindolocarbazole)

RN 172922-90-6 HCAPLUS

CN Indolo[3,2-b]carbazole-6,12-dicarboxaldehyde, 5,11-dihydro- (9CI) (CA

INDEX NAME)



RE.CNT 55 THERE ARE 55 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>